



Switchblade Systems LLC
 Glendale, CA, USA
Sales@SwitchbladeSystems.com
 1 (310) 929-7505

Switchblade LPU1 – High Performance 1U Live Production System

Tier 1 Config	i7-8700 3.2Ghz 6 Core, 250GB SSD, 16GB RAM, Quadro P2000 GPU, Win 10
SWBS-LPU1-4SDI-T1	4 SDI 1080P60 Inputs, vMix HD
SWBS-LPU1-4HDMI-T1	4 HDMI 1080P60 Inputs, vMix HD
SWBS-LPU1-4SDI-IO-T1	4 SDI 1080P60 Input/Outputs, vMix HD

Tier 2 Config	i9-9900K 3.6Ghz 8 Core, 250GB SSD, 16GB RAM, Quadro 4000 RTX, Win 10
SWBS-LPU1-4SDI-T2	4 SDI 1080P60 Inputs, vMix 4K
SWBS-LPU1-4HDMI-T2	4 HDMI 1080P60 Inputs, vMix 4K
SWBS-LPU1-4SDI-IO-T2	4 SDI 1080P60 Input/Outputs, vMix 4K
SWBS-LPU1-8SDI-T2	8 SDI 1080P60 Inputs, vMix 4K
SWBS-LPU1-8HDMI-T2	8 HDMI 1080P60 Inputs, vMix 4K
SWBS-LPU1-8SDI-IO-T2	8 SDI 1080P60 Input/Outputs, vMix 4K

Front	2 Hotswap SSD Bays
-------	--------------------

Rear Panel I/O	5 USB 3.1 1 USB Type C Dual Intel Gigabit LAN Dual Band 802.11ac WiFi 3 Analog Audio Jacks 4 Displayport
----------------	---

Dimensions	17" x 17" x 1U - LxWxH
------------	------------------------

Chassis	ASTM-A-653 20 Gauge Galvanized Steel
---------	--------------------------------------



Switchblade Systems LLC
 Glendale, CA, USA
Sales@SwitchbladeSystems.com
 1 (310) 929-7505

Switchblade LPU2 – High Performance 2U Live Production System

Tier 1 Config	i7-8700 3.2Ghz 6 Core, 250GB SSD, 16GB RAM, Nvidia 2060 RTX, Win 10
SWBS-LPU2-4SDI-T1	4 SDI 1080P60 Inputs, vMix HD
SWBS-LPU2-4HDMI-T1	4 HDMI 1080P60 Inputs, vMix HD
SWBS-LPU2-4SDI-IO-T1	4 SDI 1080P60 Input/Outputs, vMix HD

Tier 2 Config	i9-9900K 3.6Ghz 8 Core, 250GB SSD, 16GB RAM, Nvidia 2070 RTX, Win 10
SWBS-LPU2-4SDI-T2	4 SDI 1080P60 Inputs, vMix 4K
SWBS-LPU2-4HDMI-T2	4 HDMI 1080P60 Inputs, vMix 4K
SWBS-LPU2-4SDI-IO-T2	4 SDI 1080P60 Input/Outputs, vMix 4K
SWBS-LPU2-8SDI-T2	8 SDI 1080P60 Inputs, vMix 4K
SWBS-LPU2-8HDMI-T2	8 HDMI 1080P60 Inputs, vMix 4K
SWBS-LPU2-8SDI-IO-T2	8 SDI 1080P60 Input/Outputs, vMix 4K

Front	2 Hotswap SSD Bays
-------	--------------------

Rear Panel I/O	5 USB 3.1 1 USB Type C Dual Intel Gigabit LAN Dual Band 802.11ac WiFi 3 Analog Audio Jacks 4 Displayport
----------------	---

Dimensions	17" x 17" x 2U - LxWxH
------------	------------------------

Chassis	ASTM-A-653 20 Gauge Galvanized Steel
---------	--------------------------------------



Switchblade Systems LLC
 Glendale, CA, USA
Sales@SwitchbladeSystems.com
 1 (310) 929-7505

Switchblade LPU₄ – High Performance 4U Live Production System

Tier 1 Config Z370	i7-8700 3.2Ghz 6 Core, 250GB SSD, 16GB RAM, Nvidia 2060 RTX, Win 10
SWBS-LPU ₄ -4SDI-T1	4 SDI 1080P60 Inputs, vMix HD
SWBS-LPU ₄ -4HDMI-T1	4 HDMI 1080P60 Inputs, vMix HD
SWBS-LPU ₄ -4SDI-IO-T1	4 SDI 1080P60 Input/Outputs, vMix HD

Tier 2 Config x299	i9-9820X 3.3Ghz 10 Core, 1TB SSD, 16GB RAM, Nvidia 2070 RTX, Win 10
SWBS-LPU ₄ -4SDI-T2	4 SDI 1080P60 Inputs, vMix 4K
SWBS-LPU ₄ -4HDMI-T2	4 HDMI 1080P60 Inputs, vMix 4K
SWBS-LPU ₄ -4SDI-IO-T2	4 SDI 1080P60 Input/Outputs, vMix 4K
SWBS-LPU ₄ -8SDI-T2	8 SDI 1080P60 Inputs, vMix 4K
SWBS-LPU ₄ -8HDMI-T2	8 HDMI 1080P60 Inputs, vMix 4K
SWBS-LPU ₄ -8SDI-IO-T2	8 SDI 1080P60 Input/Outputs, vMix 4K

SWBS-LPU ₄ -12SDI-T2	12 SDI 1080P60 Inputs, vMix 4K
SWBS-LPU ₄ -8SDI-4HDMI-T2	8SDI, 4 HDMI 1080P60 Inputs, vMix 4K
SWBS-LPU ₄ -16SDI-T2	16 SDI 1080P60 Input/Outputs, vMix 4K
SWBS-LPU ₄ -8SDI-4SDI-IO-T2	8 SDI 1080P60 Inputs, 4 SDI Input/Outputs, vMix 4K
SWBS-LPU ₄ -4SDI-12G-T2	4 SDI 2160P60 Inputs, vMix 4K
SWBS-LPU ₄ -4SDI-12G-HDMI4K-T2	4 SDI, 4 HDMI 2160P60 Input/Outputs, vMix 4K

-Audio	1/4" Balance Audio Board I/O
--------	------------------------------

-POE	4 Channel Gigabit POE card
------	----------------------------

Front	4 Hotswap SSD Bays
-------	--------------------

Rear Panel I/O	5 USB 3.1 1 USB Type C Dual Intel Gigabit LAN Dual Band 802.11ac WiFi 4 Displayport
----------------	---

Dimensions	19" x 20.80" x 4U - LxWxH
------------	---------------------------

Chassis	ASTM-A-653 20 Gauge Galvanized Steel
---------	--------------------------------------